

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3328	709/220	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 17:15
S2	2180	709/221	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 17:15
S3	999	709/248	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 17:15
S4	1895	709/249	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 17:15
S5	2587	709/250	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 17:16
S6	8863	S1 or S2 or S3 or S4 or S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 17:16
S7	276	S6 and ((reconfigur\$ or configur\$ or updat\$) with predetermined with (time or duration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 18:05
S8	205	S7 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 17:17

S9	0	S6 and ((reconfigur\$ or configur\$ or updat\$) with predetermined with (time or duration)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 17:18
S10	3	S6 and ((reconfigur\$ or configur\$ or updat\$) with predetermined with (time or duration)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 17:18
S11	69	("5557748").URPN.	USPAT	OR	OFF	2005/02/13 17:19
S12	13	("4864492"   "5101402"   "5109484"   "5408618"   "5430793"   "5446874"   "5454078"   "5459713"   "5490276"   "5493689"   "5499343"   "5500934"   "5509123").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/13 17:36
S13	9	self adj configur\$ with network with (time or duration)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/13 17:38
S14	205	S8 not S11	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/13 17:38
S15	205	S14 not S12	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/13 17:52
S16	0	predetermined near3 response near2 (time or duration) with multiple near3 network adj device\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/13 17:54
S17	0	response near2 (time or duration) with multiple near3 network adj device\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/13 17:54
S18	0	predetermined near2 (time or duration) with multiple near3 network adj device\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/13 17:54
S19	101	predetermined near2 (time or duration) with network adj device\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/13 17:57
S20	12	S19 with (multiple or plurality)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/13 17:55
S21	101	S19 not S12	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/13 17:58

S22	1825	((reconfigur\$ or configur\$ or updat\$) with predetermined with (time or duration) with (plurality or multiple))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 18:06
S23	28	S22 with (network with device\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 18:06